



Werner Almesberger	
File: anelok.sch	
Sheet: /	
Title: Anelok Password Safe	
Size: A4	Date: 12 may 2014
KiCad E.D.A.	Rev: 1/5

User Interface



Werner Almesberger		
File: user.sch		
Sheet: /User Interface/		
Title: Anelok Password Safe		
Size: A4	Date: 12 may 2014	Rev:
KiCad E.D.A.		Id: 2/5


RF



8pF
40ppm
ESR<=60R
NX3225SA
Note: Cloud should be 10-16 pF

Werner Almesberger	
File: rf.sch	
Sheet: /RF/	
Title: Anelok Password Safe	
Size: A4	Date: 12 may 2014
KiCad E.D.A.	Rev: Id: 3/5


Memory card



CON3	R3 CARD_SW
101-00660-68-6	OR closes
101-00581-59	- opens
693071010811	- opens

Werner Almesberger	
File: memcard.sch	
Sheet: /Memcard/	
Title: Anelok Password Safe	
Size: A4	Date: 12 may 2014
KiCad E.D.A.	Rev: Id: 4/5

Power + USB



U3	R6	R17	R18	R19	R20	R21	C13	C14
AAT1217-3.3	0R	-	-	-	-	-	4.7uF	4.7uF
AAT1217-1.2	0R	1.02M	604k	-	-	-	4.7uF	4.7uF
TLV61220	-	0R	-	180k	1M	10uF	10uF	-

Werner Almesberger	
File: power.sch	
Sheet: /Power+USB/	
Title: Anelok Password Safe	
Size: A4	Date: 12 may 2014
KiCad E.D.A.	Rev: Id: 5/5